This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS



IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.







PTO/SB/21 (08-03)

Approved for use through 08/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Banenyork Reduct	tion Act of 1995, no nerson			e; U.S. DEPARTMENT OF COMMERCE s it displays a valid OMB control number.
Cincer the Paperwork Reduc-	IOH ACCOL 1939. No Delsons	Application Number	10/708,616	S It displays a valid CIVID CORROL Hallinger.
TRANSMI"	TTAL	Filing Date	03/15/2004	
FORM	Λ	First Named Inventor	Chih-Cheng Chen	
(to be used for all corresponde	ence after initial filing)	Art Unit		
	0 ,	Examiner Name		
Total Number of Pages in This	Submission 3	Attorney Docket Number	MTKP0108USA	
	ENCI	LOSURES (Check all tha	t apply)	
Fee Transmittal Form		Drawing(s)	Afte	er Allowance communication Fechnology Center (TC)
Fee Attached		Licensing-related Papers	L of /	peal Communication to Board Appeals and Interferences
Amendment/Reply		Petition		peal Communication to TC peal Notice, Brief, Reply Brief)
After Final		Petition to Convert to a Provisional Application		pprietary Information
		Power of Attorney, Revocation		atus Letter
Affidavits/decla	i Im.	Change of Correspondence Addr		ner Enclosure(s) (please
Extension of Time Req		Terminal Disclaimer	L Ide	ntify below):
Express Abandonment	t Request	Request for Refund		
Information Disclosure	Otatomont	CD, Number of CD(s)		
Certified Copy of Priori Document(s)	ity	rks		•
Response to Missing F				
Response to M under 37 CFR				
	SIGNATURE C	OF APPLICANT, ATTORN	EY, OR AGENT	<u> </u>
Firm Winston	Hsu, Reg. No.: 41,5	526		
Individual name		. 4		
Signature	W	votos W	zu	
Date	5/61	170011		
	CEPTIEIC	CATE OF TRANSMISSION	I/MAIL ING	
I haraby contify that this garren				United States Postal Service with
				60, Alexandria, VA 22313-1450 on
Typed or printed name				
				
Signature				Date

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S.;Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NAN 1 2 2004 SE

Name (Print/Type)

Signature

Winston Hsu

PTO/SB/17 (10-03)
Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are require	U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE red to respond to a collection of information unless it displays a valid OMB control number
FEE TRANSMITTA	Complete if Known
FEE IKANSIVIII IA	Application Number 10/708,616
for FY 2004	Filing Date 03/15/2004
Effective 10/01/2003. Patent fees are subject to annual revision.	First Named Inventor Chih-Cheng Chen
	Examiner Name
Applicant claims small entity status. See 37 CFR 1.27	Art Unit
TOTAL AMOUNT OF PAYMENT (\$) 0.00	Attorney Docket No. MTKP0108USA
METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)
Check Credit card Money Other None	3. ADDITIONAL FEES
✓ Deposit Account:	Large Entity Small Entity
Deposit Account 50-0801	Fee Fee Fee Fee Description Code (\$) Fee Paid
Number	1051 130 2051 65 Surcharge - late filing fee or oath
Deposit Account North America International Patent Office	1052 50 2052 25 Surcharge - late provisional filing fee or cover sheet
Name The Director is authorized to: (check all that apply)	1053 130 1053 130 Non-English specification
Charge fee(s) indicated below Credit any overpayments	1812 2,520 1812 2,520 For filing a request for ex parte reexamination
Charge any additional fee(s) or any underpayment of fee(s)	1804 920* 1804 920* Requesting publication of SIR prior to Examiner action
Charge fee(s) indicated below, except for the filing fee	1805 1,840* 1805 1,840* Requesting publication of SIR after Examiner action
to the above-identified deposit account.	1251 110 2251 55 Extension for reply within first month
FEE CALCULATION	1252 420 2252 210 Extension for reply within second month
1. BASIC FILING FEE Large Entity Small Entity	1253 950 2253 475 Extension for reply within third month
Fee Fee Fee Fee Description Fee Paid Code (\$) Code (\$)	1254 1,480 2254 740 Extension for reply within fourth month
1001 770 2001 385 Utility filing fee	1255 2,010 2255 1,005 Extension for reply within fifth month
1002 340 2002 170 Design filing fee	1401 330 2401 165 Notice of Appeal
1003 530 2003 265 Plant filing fee	1402 330 2402 165 Filing a brief in support of an appeal
1004 770 2004 385 Reissue filing fee	1403 290 2403 145 Request for oral hearing
1005 160 2005 80 Provisional filing fee	1451 1,510 1451 1,510 Petition to institute a public use proceeding
SUBTOTAL (1) (\$) 0.00	1452 110 2452 55 Petition to revive - unavoidable
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE	1453 1,330 2453 665 Petition to revive - unintentional
Fee from Extra Claims below Fee Paid	1501 1,330 2501 665 Utility issue fee (or reissue) 1502 480 2502 240 Design issue fee
Total Claims20** = X =	1503 640 2503 320 Plant issue fee
Independent - 3** = X = =	1460 130 1460 130 Petitions to the Commissioner
Multiple Dependent	1807 50 1807 50 Processing fee under 37 CFR 1.17(q)
Large Entity Small Entity	1806 180 1806 180 Submission of Information Disclosure Stmt
Fee Fee Fee Fee <u>Fee Description</u> Code (\$) Code (\$)	8021 40 8021 40 Recording each patent assignment per
1202 18 2202 9 Claims in excess of 20	property (times number of properties) 1809 770 2809 385 Filing a submission after final rejection
1201 86 2201 43 Independent claims in excess of 3	(37 ČFR 1.129(a))
1203 290 2203 145 Multiple dependent claim, if not paid 1204 86 2204 43 ** Reissue independent claims	1810 770 2810 385 For each additional invention to be examined (37 CFR 1.129(b))
1204 86 2204 43 ** Reissue independent claims over original patent	1801 770 2801 385 Request for Continued Examination (RCE)
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent	1802 900 1802 900 Request for expedited examination of a design application
[0,000]	Other fee (specify)
**or number previously paid, if greater; For Reissues, see above	*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) 0.00
SUBMITTED BY	(Complete (if applicable))

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Registration No.

(Attorney/Agent)

41,526

Telephone 886289237350

Date



PTO/SB/02B (11-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Supplemental Priority Data Sheet

Additional foreign app	lications:			
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES NO
092127703	Taiwan R.O.C	10/06/2003		

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.





中華民國經濟部智慧財產局

INTELLECTUAL PROPERTY OFFICE MINISTRY OF ECONOMIC AFFAIRS REPUBLIC OF CHINA

茲證明所附文件,係本局存檔中原申請案的副本,正確無訛,其申請資料如下:

This is to certify that annexed is a true copy from the records of this office of the application as originally filed which is identified hereunder:

申 請 日: 西元 <u>2003</u> 年 <u>10</u> 月 <u>06</u> 日 Application Date

申 請 案 號: 092127703 Application No.

申)請 \人: 聯發科技股份有限公司 Applicant(s)

局


長

Director General









Issue Date

發文字號: 09221234300

Serial No.





ज़ि ज़ि ज़ि ख़ि ख़ि ख़ि ज़ि ज़ि ज़ि ज़ि ज़ि ज़ि ज़ि ज़ि ज़ि

申請日期:	IPC分類		
申請案號:			

(以上各概	由本局填	發明專利說明書
	中文	可校正電流誤差的資料切割電路
發明名稱	英文	DATA SLICER CAPABLE OF CALIBRATING CURRENT MISMATCH
	姓 名 (中文)	1. 陳志成 2. 陳尚斌
		1. CHEN, CHIH-CHENG 2. CHEN, SHANG-PING
發明人(共2人)	國 籍 (中英文)	1. 中華民國 TW 2. 中華民國 TW
	住居所 (中 文)	1. 新竹市埔頂路二四七號七樓 2. 台中市大弘三街九十一號六樓之一
	住居所(英文)	1.7F, No. 247, Pu-Ding Rd., Hsin-Chu City, Taiwan, R.O.C. 2.6F-1, No. 91, Da-Hung 3 St., Tai-Chung City, Taiwan, R.O.C.
	名稱或 姓 名 (中文)	1. 聯發科技股份有限公司
	名稱或 姓 名 (英文)	1. MEDIATEK INC.
.	國 籍 (中英文)	1. 中華民國 TW
申請人(共1人)	住居所 (營業所) (中 文)	1. 新竹縣新竹科學工業園區創新一路1-2號5樓 (本地址與前向貴局申請者相同)
	住居所 (營業所) (英 文)	1.5F, No. 1-2, Innovation Road 1, Science-Based Industrial Park, Hsin-Chu Hsien 300, Taiwan, R.O.C.
	代表人(中文)	· 蔡明介
	代表人 (英文)	.TSAI, MING-KAI





四、中文發明摘要 (發明名稱:可校正電流誤差的資料切割電路)

五、英文發明摘要 (發明名稱:DATA SLICER CAPABLE OF CALIBRATING CURRENT MISMATCH)

A data slicer comprises: a comparator coupled to an input signal and a reference signal, for generating a sliced signal; a waveform generator for generating a calibration signal; a pulse extension device coupled to the comparator and the waveform generator, for amending the duty cycle of the sliced signal or the calibration signal and outputting the amended signal; a charge pump,





四、中文發明摘要 (發明名稱:可校正電流誤差的資料切割電路)

五、英文發明摘要 (發明名稱:DATA SLICER CAPABLE OF CALIBRATING CURRENT MISMATCH)

coupled between the pulse extension device and a first node, for charging or discharging the first node according to the amended signal outputted by the pulse extension device; a decision circuit for calibrating the data slicer according to the potential change on the first node; and a feedback device coupled between the first node and the comparator, for generating the reference signal.



六、指定代表圖

- (一)、本案代表圖為:第____圖
- (二)、本案代表圖之元件代表符號簡單說明
- 200 資料切割電路
- 210 比較裝置
- 220 波形產生器
- 230 多工器
- 240 波形延展装置
- 241 波形延展器
- 242 反相器
- 250 可調整充電泵
- 251 可調整電流源
- 252 第一開關
- 253 第二開關
- 254 可調整電流槽
- 260 低通滤波器
- 270 積分器
- 280 類比至數位轉換器
- 290 決定電路



110 ptg / 1 ptg / 1 1 1 1 1 1 1 1 1 1				
國家(地區)申請專利	申請日期	案號	主張專利法第二十	四條第一項優先
				
二、□主張專利法第二十五個	久 3g _ 4g _ 45 /6 A 』			
	宗之一 另一項 俊允	准:		
申請案號:				
日期:		Ħ.		
三、主張本案係符合專利法	第二十條第一項□∫	第一款但書或□	第二款但書規定之	期間
日期:				
	到外・			
四、□有關微生物已寄存於□	國外:			
	國外:	#		
四、□有關微生物已寄存於[寄存國家:	國外 :	#		
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存日期: 寄存號碼:				
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存日期: 寄存號碼: □有關微生物已寄存於國				
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存日期: 寄存號碼: □有關微生物已寄存於 寄存機構:		寄存機構):		
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存代期: 寄存號碼: □有關微生物已寄存於 寄存機構: 寄存日期:				
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存出期: 寄存號碼: □有關微生物已寄存於 寄存機構: 寄存機構: 寄存號碼:	图內(本局所指定之	寄存機構):		
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存代期: 寄存號碼: □有關微生物已寄存於 寄存機構: 寄存日期:	图內(本局所指定之	寄存機構):		
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存出期: 寄存號碼: □有關微生物已寄存於 寄存機構: 寄存機構: 寄存號碼:	图內(本局所指定之	寄存機構):		
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存出期: 寄存號碼: □有關微生物已寄存於 寄存機構: 寄存機構: 寄存號碼:	图內(本局所指定之	寄存機構):		
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存出期: 寄存號碼: □有關微生物已寄存於 寄存機構: 寄存機構: 寄存號碼:	图內(本局所指定之	寄存機構):		
四、□有關微生物已寄存於 寄存國家: 寄存機構: 寄存出期: 寄存號碼: □有關微生物已寄存於 寄存機構: 寄存機構: 寄存號碼:	图內(本局所指定之	寄存機構):		

五、發明說明 (1)

【技術領域】

本發明提供一種資料切割電路,尤指一種可對充放電電流之誤差進行校正的資料切割電路。

【先前技術】

在用來傳輸資料的傳輸系統(transmission system)之中,資料切割電路(data slicer)是一個常常被使用到的關鍵的元件。資料切割電路的主要功用,就是將一類比形式的輸入訊號與一參考位準訊號進行比對,以決定該輸入訊號所代表的數位值(通常可以是二元值的 0或 1),亦即將原本是類比形式的輸入訊號轉變成數位形式的輸出訊號。

請參閱圖一,圖一為習知技術一資料切割電路100之功能方塊圖。資料切割電路100包含有一比較裝置

(comparator) 110, 一反相器 (inverter) 115, 一充電泵 (charge pump) 120,以及一低通滤波器 (low pass filter) 130。其中,充電泵 120中包含有一電流源 121,一第一開關 122,一第二開關 123,以及一電流槽

(current sink) 124。在圖一所示的例子當中,第一開關 122與第二開關 123會分別在輸入其控制端的訊號位於高電位時被開啟。當切割訊號 Vout處於高電位時,第一開關





五、發明說明 (2)

122會被開啟 (turn on),而第二開關 123則被關閉 (turn off),此時,電流源 121會對節點 A進行充電的動作。至於當切割訊號 Vout處於低電位時,第一開關 122會被關閉,而第二開關 123則被開啟,此時,電流槽 124會對節點 A進行放電的動作。


節點 A的電壓訊號經過低通濾波器 130的處理過後,會產生一參考訊號 Vref,比較裝置 110即可以藉由比較輸入訊號 Vin與參考訊號 Vref以產生切割訊號 Vout。理論上來說,電流源 121與電流槽 124所能產生電流的大小必須是相同的,如此一來整個系統的架構才能夠穩定且精準的執行資料切割的工作。

然而,實際上在製造這樣的資料切割電路時,很難製造出可以產生完全相同大小電流的電流源 121與電流槽 124,在兩者的電流有些許誤差的情形下,經過一個又一個的週期後,錯誤就會慢慢的被放大,整個系統也會因而變的更不穩定,甚至最終產生出的切割訊號 Vout有可能會因此發生錯誤的情形。這是習知的資料切割電路所面臨的主要問題。

【內容】

因此本發明之主要目的在於提供一種可自動校正電流誤差





五、發明說明 (3)

的資料切割電路,以解決上述習知技術所面臨的問題。

本發明之主要優點在於,該資料切割電路具有校正電流誤差的功能,經過自動校正後的資料切割電路,原先所存在充放電電流大小不同的情形會被補償掉,因此不會有錯誤被慢慢放大甚至訊號切割錯誤的情形發生。

【實施方法】

請參閱圖二,圖二為本發明資料切割電路第一實施例功能 方塊圖。在本實施例中,資料切割電路200包含有:一比 較裝置210,用來依據一輸入訊號 Vin與一參考訊號 Vref產






五、發明說明 (4)

生一切割訊號 Vout;一波形產生器 220,用來產生工作週 期(duty cycle)為 50%的 校 正 訊 號 Videal; 一 多 工 器 (multiplexer) 230, 耦合於比較裝置 210與波形產生器 220, 用來依據一選擇訊號 SEL選擇性的輸出切割訊號 Vout 或校正訊號 Videal;一波形延展裝置 (pulse extension device) 240, 耦合於多工器 230, 用來修正切割訊號 Vout 或校正訊號 Videal之工作週期,以產生一第一修正訊號 V1 與一第二修正訊號 V2;一可調整充電泵 (tunable charge pump) 250, 耦合於波形延展裝置 240與一第一節點 A之 間,用來依據第一修正訊號 V1與第二修正訊號 V2對第一節 點A進行充放電的動作;一回授裝置(於本實施例中即低 通滤波器 260),耦合於第一節點 A與比較裝置 210之間 用來產生參考訊號 Vref;一決定電路 290,用來依據第一 節點 A上之電位變化對資料切割電路 200進行調整的動作; 一積分器 270, 耦合於第一節點 A; 一類比至數位轉換器 (ADC) 280, 耦合於積分器 270與決定電路 290之間。

另外,於本實施例中,波形延展裝置 240包含有:一波形延展器 241,用來修正切割訊號 Vout或校正訊號 Videal之工作週期(即將工作週期調大或調小),以產生第一修正訊號 V1;以及一反相器,耦合於波形延展器 241,用來產生與第一修正訊號 V1反相之第二修正訊號 V2。至於可調整充電泵 250則包含有:一可調整電流源 251,一第一開關 252,一第二開關 253會分別





五、發明說明 (5)

在輸入其控制端的訊號位於高電位時被開啟),以及一可調整電流槽 254。當第一修正訊號 V1處於高電位、第二修正訊號 V2處於低電位時,第一開關 252會被開啟、第二開關 253則被關閉;當第一修正訊號 V1處於低電位、第二修正訊號 V2處於高電位時,第一開關 252會被關閉、第二開關 253則被開啟。

在資料切割電路 200處於一校正階段時,多工器 230會依據選擇訊號 SEL將校正訊號 Videal輸出至波形延展裝置 240。由於校正訊號 Videal的工作週期為 50%,因此理論上來講,在波形延展裝置 240以及可調整充電泵 250尚未受到決定電路 290的調整之前,在兩個相差校正訊號 Videal整數個週期的時間點上,節點 A的電位應該會保持不變(因為節點 A經歷了完全相同的充電與放電過程,故最後的電位會保持不變)。但是實際上,由於真實的電路常常會有些許的誤差,在充放電電流有不匹配(mismatch)的情形下,節點 A的電位還是會變化。此時,決定電路 290可比較類比至數位轉換器 280輸出訊號的值在兩個相差校正訊號Videal整數個週期的時間點上的大小,以決定對該資料切割電路 200的調整方向。

當類比至數位轉換器 280輸出訊號的值在校正訊號 Videal經過整數個週期後有變小的情形時,在圖二所示的架構下,決定電路 290可以有以下三種校正方式:調整波形延





五、發明說明 (6)

展器 241,以加大第一修正訊號 V1之工作週期;調整可調整電流源 251,以加大其所能提供的充電電流;或是調整可調整電流槽 254,以減小其所能提供的放電電流(當然,亦可同時採用兩個以上的方式,甚至三種方式同時使用)。至於當類比至數位轉換器 280輸出訊號的值在校正訊號 Videal經過整數個週期後有變大的情形時,決定電路 290則亦可以有三種相反的校正方式,在此不多作贅述。

在圖二所示的架構之下,第一修正訊號 V1與第二修正訊號 V2間會具有反相的關係,第一開關252與第二開關253中當 一個被開啟時,另一個必定是被關閉的。然而,在設計系 統時,亦可以設計使得第一修正訊號 V1與第二修正訊號 V2 間不一定具有明確反相的關係,決定電路290可對第一修 正訊號 V1或第二修正訊號 V2的工作週期分別進行調整,如 此即可增加系統的解析度(resolution)。請參閱圖三 圖三為本發明資料切割電路第二實施例功能方塊圖。與資 料切割電路200的主要不同在於,本實施例之資料切割電 路 300中的波形延展装置 240包含有:一第一波形延展器 341, 耦合於多工器 230, 用來接收切割訊號 Vout或校正訊 號 Videal,修正其工作週期,以產生第一修正訊號 V1;一 反相器 342, 耦合於多工器 230, 用來接收切割訊號 Vout或 校正訊號Videal,並將之反相後輸出;以及一第二波形延 展器 343, 耦合於反相器 342, 用來接收反相後的切割訊號 Vout或校正訊號 Videal,修正其工作週期,以產生第二修





五、發明說明 (7)

正訊號 V2。至於本實施例中的決定電路 290則可以分別對第一波形延展器 341與第二波形延展器 343進行校正工作。在圖三所示的架構之下,當類比至數位轉換器 280輸出訊號 的值在校正訊號 Videal經過整數個週期後有變小的情形時,決定電路 290除了可以採用上述三種校正方式以外,此種架構下的決定電路 290還可以選擇是否要調整第二波形延展器 343,以減小第二校正訊號 V2之工作週期,這樣的系統架構會具有較佳的解析度。

而在上述兩個實施例中,第一開關 252與第二開關 253皆是在輸入其控制端的訊號為高電位時被開啟,然而,設計者亦可以將系統設計成這兩個開關中,一個會在輸入其控制端的訊號為高電位時被開啟,另一個則會在輸入其控制端的訊號為低電位時被開啟(一個簡單的方法是在其中一個開 35 加上反相器)。請參閱圖四,圖四為本發明資料切割電路 200的不實施例之資料切割電路 400中的波形延展裝置 240中並沒有包含反相器;而可調整充電泵 250中的积累 452會在輸入其控制端的訊號位於高電位時被開啟,第二開關 453前端的訊號位於低電位時被開啟(也可以想像成圖二中的反相器被加在圖四中的策一開關 453前端)。整體系統的工作原理與圖二相同,至於解析度則依舊不如圖三的資料切割電路 300。






五、發明說明 (8)

至於在實際電路的實施上,習知技術者可以很容易的使用單一個或閘(或是及閘)與單一個緩衝器(用來延遲訊號)組合出一個單一的波形延展單元,再使用複數個不同的波形延展單元以及一個或多個由決定電路 290所控制的多工器,即可組合出上述任一個波形延展器。另外,習知技術者亦可以很容易的使用複數電流源(或電流槽),經由不同的開啟關閉組合(由決定電路 290所控制),以構成上述的可調整電流源(或可調整電流槽)。

另外,而在不同頻率的操作範圍之下,本發明所提出的系統亦可以具有不同的校正方式。舉例來說,假設於上述惡價施例中,波形延展裝置 240的解析度為 T/100、可調整充電泵 250的解析度則為 I/100(其中 T與 I為固定值)。當資料切割電路處理低頻訊號時,資料的週期為 T,可調整充時,決定電路 290可以對可調整充電泵 250進行粗調的工作。至於當資料切割電路處理高頻訊號時,資料的週期為 T/10,可調整在,而對波形延展裝置 240進行微調的工作。至於當資料切割電路處理高頻訊號時,資料的週期為 T/10,可調整充電泵 250充放電的電流則為 I(假設為了頻寬的考量, 放電泵 250充放電的電流則為 I(假設為了頻寬的考量, 放電泵 250充放電的電流則 基於 10倍), 故若此時系統有誤差存在時,決定電路 290可以對可調整充電泵 250進行微調的工作,而對波形延展裝置 240則進行粗調的工作。因此,整體系統不論是在高倍數或是低倍數的系統皆可正常的操作,並自動的校正所存在的電流誤差。





五、發明說明 (9)

在上述三個實施例中,當類比至數位轉換器 280輸出訊號的值在校正訊號 Videal經過整數個週期後保持不變時(或者是訊號變化的斜率突然由正轉負或由負轉正),即表示決定電路 290已經使用校正的方式將原本存在充放電電流中不匹配的情形給補償掉了,系統即可結束該校正階段,而進入一訊號切割階段。此時選擇訊號會將多工器 230切換成將切割訊號 Vout輸出至波形延展裝置 240,在由比較裝置 210、多工器 230、波形延展裝置 240、可調整充電泵 250、以及低通濾波器 260所形成的閉迴路架構下,所產生的切割訊號 Vout即可正確代表輸入訊號 Vin的數位值。

相較於習知技術,本發明所提出的資料切割電路具有校正電流誤差的功能,經過自動校正後的切割電路,原先所存在充放電電流大小不匹配的情形會被補償掉,因此不會有錯誤被慢慢放大甚至訊號切割錯誤的情形。故可解決習知技術所面臨的主要問題。

另外,本發明所提出的系統架構在不同頻率範圍可使用不同的校正方式,故於高倍數或低倍數時皆可正常工作,可大幅提高系統的動態處理範圍以及不同工作條件下整體系統的穩定度。

以上所述僅為本發明之較佳實施例,凡依本發明申請專利





五、發明說明 (10)

範圍所做之均等變化與修飾,皆應屬本發明專利的涵蓋範圍。




圖式簡單說明

圖式之簡單說明

- 圖一為習知技術一資料切割電路100之功能方塊圖。
- 圖二為本發明資料切割電路第一實施例功能方塊圖。
- 圖三為本發明資料切割電路第二實施例功能方塊圖。
- 圖四為本發明資料切割電路第三實施例功能方塊圖

圖式之符號說明

- 100、200、300、400 資料切割電路
- 110、210 比較裝置
- 115、242、342 反相器
- 120 充電泵
- 121 電流源
- 122、252、452 第一開關
- 123、253、453 第二開關
- 124 電流槽
- 130、260 低通濾波器
- 220 波形產生器
- 230 多工器
- 240 波形延展裝置
- 241、341、441 第一波形延展器
- 250 可調整充電泵
- 251 可調整電流源



圖式簡單說明

254 可調整電流槽

270 積分器

280 類比至數位轉換器

290 決定電路



- 1.一種資料切割電路,包含有:
- 一比較裝置,耦合於一輸入訊號與一參考訊號,用來產生一切割訊號;
- 一波形產生器,用來產生一校正訊號;
- 一波形延展裝置,耦合於該比較裝置與該波形產生器,用來修正該切割訊號或該校正訊號之工作週期,然後將之輸出;
- 一充電泵,耦合於該波形延展裝置與一第一節點之間,用來依據該波形延展裝置輸出之訊號對該第一節點進行充放電的動作;
- 一決定電路,用來依據該第一節點上之電位變化對該資料切割電路進行調整的動作;以及
- 一回授裝置,耦合於該第一節點與該比較裝置之間,用來產生該參考訊號。
- 2.如申請專利範圍第1項所述之資料切割電路,其中該資料切割電路另包含有:
- 一多工器,耦合於該比較裝置,該波形產生器以及該波形延展裝置,用來選擇性的輸出該切割訊號或該校正訊號至該波形延展裝置。
- 3.如申請專利範圍第2項所述之資料切割電路,其中該資料切割電路另包含有:
- 一積分器,耦合於該第一節點;以及






一類比至數位轉換器,耦合於該積分器與該決定電路之間。

- 4.如申請專利範圍第 3項所述之資料切割電路,其中當該 多工器輸出該校正訊號至該波形延展裝置時,該決定電路 比較該類比至數位轉換器輸出訊號的值在兩個相差該校正 訊號整數個週期的時間點上之大小,以決定對該資料切割 電路的調整方向。
- 5.如申請專利範圍第 3項所述之資料切割電路,其中該波形延展裝置係用來接收該切割訊號或該校正訊號,修正其工作週期,以產生一第一修正訊號與一第二修正訊號。
- 6.如申請專利範圍第 5項所述之資料切割電路,其中該波 形延展裝置中包含有;
- 一波形延展器,耦合於該多工器,用來接收該切割訊號或該校正訊號,修正其工作週期,以產生該第一修正訊號; 以及
- 一反相器,耦合於該波形延展器,用來產生與該第一修正訊號反相之第二修正訊號。
- 7.如申請專利範圍第6項所述之資料切割電路,其中該決定電路係耦合於該波形延展器,用來對該波形延展器進行調整的動作。





- 一第一波形延展器,耦合於該多工器,用來接收該切割訊號或該校正訊號,修正其工作週期,以產生該第一修正訊號;
- 一反相器,耦合於該多工器,用來接收該切割訊號或該校正訊號,並將之反相後輸出;以及
- 一第二波形延展器,耦合於該反相器,用來接收反相後的該切割訊號或該校正訊號,修正其工作週期,以產生該第二修正訊號。
- 9.如申請專利範圍第 8項所述之資料切割電路,其中該決定電路係耦合於該第一波形延展器,用來對該第一波形延展器進行調整的動作。
- 10.如申請專利範圍第8項所述之資料切割電路,其中該決定電路係耦合於該第二波形延展器,用來對該第二波形延展器進行調整的動作。
- 11.如申請專利範圍第5項所述之資料切割電路,其中該充電泵係為一可調整充電泵。
- 12.如申請專利範圍第5項所述之資料切割電路,其中該充




電泵包含有:

- 一第一可調整充電泵單元,耦合於該波形延展裝置與該第
- 一節點之間,用來依據該第一修正訊號對該第一節點進行充電的動作;以及
- 一第二可調整充電泵單元,耦合於該波形延展裝置與該第
- 一節點之間,用來依據該第二修正訊號對該第一節點進行放電的動作。
- 13.如申請專利範圍第12項所述之資料切割電路,其中該第一可調整充電泵單元包含有:
- 一可調整電流源;以及
- 一第一開關,耦合於該可調整電流源與該第一節點之間, 用來依據該第一修正訊號控制該可調整電流源對該第一節 點充電的動作。
- 14.如申請專利範圍第13項所述之資料切割電路,其中該決定電路係耦合於該可調整電流源,用來對該可調整電流源進行調整的動作。
- 15.如申請專利範圍第12項所述之資料切割電路,其中該第二可調整充電泵單元包含有:
- 一可調整電流漕;以及
- 一第二開關,耦合於該可調整電流漕與該第一節點之間,用來依據該第二修正訊號控制該可調整電流漕對該第一節



點放電的動作



- 17.如申請專利範圍第 3項所述之資料切割電路,其中該波形延展裝置係用來接收該切割訊號或該校正訊號,修正其工作週期,以產生一第一修正訊號。
- 18.如申請專利範圍第17項所述之資料切割電路,其中該波形延展裝置中包含有;
- 一波形延展器,耦合於該多工器,用來接收該切割訊號或該校正訊號,修正其工作週期,以產生該第一修正訊號。
- 19.如申請專利範圍第18項所述之資料切割電路,其中該決定電路係耦合於該波形延展器,用來對該波形延展器進行調整的動作。
- 20.如申請專利範圍第17項所述之資料切割電路,其中該充電泵係為一可調整充電泵。
- 21.如申請專利範圍第17項所述之資料切割電路,其中該充電泵包含有:



- 一第一可調整充電泵單元,耦合於該波形延展裝置與該第一節點之間,用來依據該第一修正訊號對該第一節點進行充電的動作;以及
- 一第二可調整充電泵單元,耦合於該波形延展裝置與該第一節點之間,用來依據該第一修正訊號對該第一節點進行放電的動作。
- 22.如申請專利範圍第21項所述之資料切割電路,其中該第一可調整充電泵單元包含有:
- 一可調整電流源;以及
- 一第一開關,耦合於該可調整電流源與該第一節點之間, 用來依據該第一修正訊號控制該可調整電流源對該第一節 點充電的動作。
- 23.如申請專利範圍第22項所述之資料切割電路,其中該決定電路係耦合於該可調整電流源,用來對該可調整電流源,用來對該可調整電流源進行調整的動作。
- 24.如申請專利範圍第21項所述之資料切割電路,其中該第二可調整充電泵單元包含有:
- 一可調整電流漕;以及
- 一第二開關,耦合於該可調整電流漕與該第一節點之間, 用來依據該第一修正訊號控制該可調整電流漕對該第一節 點放電的動作。








25.如申請專利範圍第 24項所述之資料切割電路,其中該決定電路係耦合於該可調整電流漕,用來對該可調整電流 漕進行調整的動作。


26.如申請專利範圍第1項所述之資料切割電路,其中該回授裝置係為一低通濾波器。

















(4.6版)申請案件名稱:可校正電流誤差的資料切割電路



